

< 2 years old

First Risk Factor		None	GCS < 15 or AMS	Scalp Haematoma	Loss of Consciousness +5sec	Severe Mechanism of Injury	Palpable or Unclear fracture	Not acting normally per Parent
GCS < 15 or AMS	<i>risk</i> DA							
Scalp Haematoma	<i>risk</i> DA	0.5 (0.1,1.2) 1:100			0.5 (0.1,1.2) 1:100	3.0 (1.2,6.1) 3:100		1.7 (0.0,9.1) 2:100
Loss of Consciousness +5sec	<i>risk</i> DA	0.6 (0.0,3.5) 1:100		0.6 (0.0,3.5) 1:100		3.9 (0.5,13.5) 4:100		0.6 (0.0,3.5) 1:100
Severe Mechanism of Injury	<i>risk</i> DA	0.2 (0.1,0.7) 2:1000		3.0 (1.2,6.1) 3:100	3.9 (0.5,13.5) 4:100			0.7 (0.0,3.8) 1:100
Palpable or Unclear fracture	<i>risk</i> DA							
Not acting normally per parent	<i>risk</i> DA	0.2 (0.0,1.3) 2:1000		1.7 (0.0,9.1) 2:100	0.6 (0.0,3.5) 1:100	0.7 (0.0,3.8) 1:100		

2 + years old

First Risk Factor		None	GCS < 15 or AMS	Loss of consciousness	Vomiting	Signs of basilar skull fracture	Severe mechanism of injury	Severe headache
GCS < 15 or AMS	<i>risk</i> DA							
Loss of consciousness	<i>risk</i> DA	0.5 (0.2,0.8) 1:100			0.9 (0.2,2.7) 1:100		2.4 (1.3,4.1) 2:100	1.4 (0.3,4.1) 1:100
Vomiting	<i>risk</i> DA	0.7 (0.3,1.2) 1:100		0.9 (0.2,2.7) 1:100			2.4 (0.3,8.3) 2:100	1.4 (0.7,8) 1:100
Signs of basilar skull fracture	<i>risk</i> DA							
Severe mechanism of injury	<i>risk</i> DA	0.3 (0.1,0.6) 3:1000		2.4 (1.3,4.1) 2:100	2.4 (0.3,8.3) 2:100			1.4 (0.3,4.1) 1:100
Severe headache	<i>risk</i> DA	1.4 (0.3,4.1) 1:100		1.4 (0.3,4.1) 1:100	1.4 (0, 7.8) 1:100		1.4 (0.3,4.1) 1:100	